

B

wherein PA is a grafted or non-grafted, modified or unmodified polyamine backbone unit, T is an amide-forming polycarboxylic acid crosslinking unit, and L is a non-amide forming crosslinking unit; provided that for compounds of type (i) and (iii) the indices w and x have values such that the ratio of w to x is from 0.8 : 1 to 1.5 : 1; for compounds of type (ii) the indices w and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit; for compounds of type (iii) the indices y and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit;

- b) at least about 0.01% by weight, of a transition metal-comprising dye protection system, said dye protection system comprising one or more oligomers formed from the reaction of:
- i) 1 part by weight of an epihalohydrin; and
 - ii) from 0.5 to 2 parts by weight of a substituted or unsubstituted imidazole; and
- c) the balance carriers and adjunct ingredients.
-

B²

17. (Amended) A composition according to Claim 16 wherein said oligomer is formed from the reaction of:

- i) 1 part by weight of epichlorohydrin; and
- ii) at least about 1.4 parts by weight of a substituted or unsubstituted imidazole.

18. (Amended) A composition according to Claim 17 wherein said oligomer is formed from the reaction of:

- i) 1 part by weight of epichlorohydrin; and
 - ii) at least about 1.4 parts by weight of imidazole.
-


B³

20. (Amended) A composition according to Claim 11 wherein said oligomer is formed from the reaction of:

- i) 1 part by weight of epichlorohydrin; and
 - ii) at least about 1.4 parts by weight of imidazole
- wherein said oligomer has an average molecular weight of from about 1800 to about 2200 daltons.
-

B⁴

25. (Amended) A fabric care composition comprising:

- 
 a) at least about 0.01% by weight, of a fabric enhancement system, said fabric enhancement system comprising one or more modified polyamine compounds, said modified polyamine compounds are selected from:

- i) $(PA)_w(T)_x$;
- ii) $(PA)_w(L)_z$;
- iii) $[(PA)_w(T)_x]_y[L]_z$; and
- iv) mixtures thereof;

wherein PA is a grafted or non-grafted, modified or unmodified polyamine backbone unit, T is an amide-forming polycarboxylic acid crosslinking unit, and L is a non-amide forming crosslinking unit; provided that for compounds of type (i) and (iii) the indices w and x have values such that the ratio of w to x is from 0.8 : 1 to 1.5 : 1; for compounds of type (ii) the indices w and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit; for compounds of type (iii) the indices y and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit;

- b) at least about 0.01% by weight, of a transition metal-comprising dye protection system, said dye protection system comprising one or more oligomers formed from the reaction of:

- i) 1 part by weight of an epihalohydrin; and
- ii) from 0.5 to 2 parts by weight of a substituted or unsubstituted imidazole

- c) optionally at least about 1%, by weight, of a fabric softening active;
- d) optionally less than about 15% by weight, of a principal solvent;
- e) optionally from about 0.001% to about 90% by weight, of one or more dye fixing agents;
- f) optionally from about 0.01% to about 50% by weight, of one or more cellulose reactive dye fixing agents;
- g) optionally from about 0.01% to about 15% by weight, of a chlorine scavenger;
- h) optionally from about 0.005% to about 1% by weight, of one or more crystal growth inhibitors;
- i) optionally from about 0.01% to about 20% by weight, of a fabric abrasion reducing polymer;
- j) optionally from about 1% to about 12% by weight, of one or more liquid carriers;

- k) optionally from about 0.001% to about 1% by weight, of an enzyme;
 l) optionally from about 0.01% to about 8% by weight, of a polyolefin emulsion or suspension;
 m) optionally from about 0.01% to about 0.2% by weight, of a stabilizer;
 n) optionally from about 1% to about 80% by weight, of a fabric softening active;
 o) optionally from about 0.5% to about 10% by weight, of a cationic nitrogen compound; and
 p) the balance carrier and adjunct ingredients.

26. (Amended) A composition according to Claim 25 wherein said dye protection system comprises one or more oligomers formed from the reaction of:

- i) 1 part by weight of epichlorohydrin; and
 ii) at least about 1.4 parts by weight of imidazole.

27. (Amended) A laundry detergent composition comprising:

- a) at least about 0.01% by weight, of a deterative surfactant selected from the group consisting of anionic, cationic, nonionic, zwitterionic, ampholytic surfactants, and mixtures thereof;
 b) at least about 0.01% by weight, of a fabric enhancement system, said fabric enhancement system comprising one or more modified polyamine compounds, said modified polyamine compounds are selected from:
- i) $(PA)_w(T)_x$;
 ii) $(PA)_w(L)_z$;
 iii) $[(PA)_w(T)_x]_y[L]_z$; and
 iv) mixtures thereof;

wherein PA is a grafted or non-grafted, modified or unmodified polyamine backbone unit, T is an amide-forming polycarboxylic acid crosslinking unit, and L is a non-amide forming crosslinking unit; provided that for compounds of type (i) and (iii) the indices w and x have values such that the ratio of w to x is from 0.8 : 1 to 1.5 : 1; for compounds of type (ii) the indices w and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit; for compounds of type (iii) the indices y and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit;

- B4
- c) at least about 0.01% by weight, of a transition metal-comprising dye protection system, said dye protection system comprising one or more oligomers formed from the reaction of:
 - i) 1 part by weight of an epihalohydrin; and
 - ii) from 0.5 to 2 parts by weight of a substituted or unsubstituted imidazole; and
 - d) the balance carriers and adjunct ingredients.
-


B5

30. (Amended) A method for preventing fading of dye from fabric comprising the step of contacting fabric with an aqueous solution containing a least 50 ppm of a laundry detergent composition which comprises:

- a) at least about 0.01% by weight, of a deterative surfactant selected from the group consisting of anionic, cationic, nonionic, zwitterionic, ampholytic surfactants, and mixtures thereof;
- b) at least about 0.01% by weight, of a fabric enhancement system, said fabric enhancement system comprising one or more modified polyamine compounds, said modified polyamine compounds are selected from:
 - i) $(PA)_w(T)_x$;
 - ii) $(PA)_w(L)_z$;
 - iii) $[(PA)_w(T)_x]_y[L]_z$; and
 - iv) mixtures thereof;

wherein PA is a grafted or non-grafted, modified or unmodified polyamine backbone unit, T is an amide-forming polycarboxylic acid crosslinking unit, and L is a non-amide forming crosslinking unit; provided that for compounds of type (i) and (iii) the indices w and x have values such that the ratio of w to x is from 0.8 : 1 to 1.5 : 1; for compounds of type (ii) the indices w and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit; for compounds of type (iii) the indices y and z have values such that said modified polyamine compound comprises from about 0.05 to about 2 parts by weight of said L unit;

- c) at least about 0.01% by weight, of a transition metal-comprising dye protection system, said dye protection system comprising one or more oligomers formed from the reaction of:
 - i) 1 part by weight of an epihalohydrin; and
 - ii) from 0.5 to 2 parts by weight of a substituted or unsubstituted imidazole; and

- 
- d) the balance carriers and adjunct ingredients, said adjunct ingredients are selected from the group consisting of builders, optical brighteners, soil rel as polym rs, dye transfer agents, dispersents, enzymes, suds suppressers, dyes, perfumes, colorants, filler salts, hydrotropes, photoactivators, fluorescers, fabric conditioners, hydrolyzable surfactants, preservatives, anti-oxidants, chelants, stabilizers, anti-shrinkage agents, anti-wrinkle agents, germicides, fungicides, anti corrosion agents, and mixtures thereof.